



LED Technology that Lasts Forever.

Lit4Ever

Product Matrix

PROFESSIONAL LED

Publisher: Product Department

Lit4Ever screen, LED Technology that Lasts Forever.

India's leading professional LED display manufacturer with full industry supply chain

CONTENT

01

Modules

03


Finished cabinet screen

02

Complete Machine

04

Supporting Equipment





01 Modules

module

Standard Size-Product Matrix



D series Indoor

Pixel pitch


1.25/1.53/1.86
/ 2/2.5/3/4



D Series Outdoor

Pixel pitch

2.5 /3/ 4/5
/ 6 / 8 / 10



DP-S-single

Single red /single white
/single green /single blue
/single yellow

DP-D-single

Single red /single white
/single green /single blue
/single yellow


Pixel pitch 10



DC-COB-320*160

Pixel pitch

1.5/1.8




DE Common positive

Pixel pitch

3.076/4/5/
6.667/8.0/10


Standard Sizes-Product Matrix



DS Flexible module

Pixel pitch

1.25/1.5/1.8
2.0/2.5



DPRO

Pixel pitch

1.2/1.5/1.8
2.0/2.5



DS Outdoor Flexible module

Pixel pitch

2.5/3/4




DL aluminum bottom shell

Pixel pitch

1.2/1.5
1.8/2.0

Non-standard sizes-Product matrix



DH Highlights **Front maintenance** Pixel pitch

Common anode 4/common cathode 5/common cathode 8/common cathode 10



N 16:9 Pixel pitch

1.25/1.5/1.8
/2.0/2.5




P Series **indoor** Pixel pitch

1.875/3/4/4 (large board)

outdoor Pixel pitch

6/8/10

Standard Sizes-D Series-Indoor



✓ D series Indoor -Product features:

SMD , cable connection technology, standardized scale products, easy installation, Easy to maintain, and can meet the needs of various indoor scenes;

Screw-locking or magnetic installation, high refresh rate, ultra-wide viewing angle;

Color gamut, ultra-clear picture quality, can achieve "wide viewing angle, comprehensive".

Product Specifications	Small pitch / indoor full color						
	D1.25	D1.53	D1.86	D2.0	D2.5	D3.0	D4.0
Pixel pitch	1.25	1.538	1.86	2.0	2.5	3.076	4.0
Refresh /Hz	3840				1920-3840		
Scanning/S	32/64	52	43	40	32/ 64	52 / 26	20
Brightness / cd/m2	500		550			400	550
Resolution/dot	256*128	208*104	172*96	160*80	128*64	104*52	80*40
Gray level /bit	13-14		12-14				
Module size / mm	320*160						

Application scenarios: indoor studio center, security monitoring center, data command center, high-end conference room display scenes.

Standard Size-D Series-Outdoor



D Series Outdoor-Product Features:

SMD , cable connection technology, screw locking technology, can be shipped as a whole screen, easy to install, disassemble and maintain;

High refresh rate, high Brightness / cd/m2, still clearly visible under strong light;


High protection, waterproof, dustproof, moisture-proof and waterproof;

The 45° angled bottom shell allows for easy construction of a naked-eye 3D screen.

Product Specifications	Outdoor full color						
	D2.5	D3	D4	D5	D6	D8	D10
Pixel pitch	2.5	3.076	4.0	5.0	6.667	8.0	10.0
Refresh /Hz	1920-3840						
Scanning	16	13	10	8	6	5	2
Brightness / cd/m2	4000-6000						
Resolution/dot	128*64	104*52	80*40	64*32	48*24	40*20	32*16
Grayscale /bit	12-14						
Module size / mm	320*160						
Bevel bottom shell		45° bevel shell					

Application scenarios: outdoor sports center events , education system, commercial naked eye 3D outdoor,Outdoor advertising screens in transportation centers / train stations , etc.

Standard size-DE common anode energy



Product Specifications	Outdoor full color					
	DE3	DE4	DE5	DE6	DE8	DE10
Pixel pitch	3.076	4	5	6.667	8	10
Refresh /Hz	1920-3840					
Brightness / cd/m2	3500-4000	4000-4500	4000-4500			5000-5500
Resolution/dot	104*52	80*40	64*32	48*24	40*20	32*16
Gray level /bit	12-14					
Module size /mm	320x160					
Matching mask	Wear a mask					

✓ DE common anode energy-product features:

SMD technology, ultra-low power consumption, supporting common anode power supply, environmental protection and energy saving over 40% ;

Lightweight, easier to install and disassemble;

Low voltage and low current reduce temperature, high performance and longer life ;

The playback is smoother and the ultra-wide-angle field of view is good.

Application scenarios: outdoor media advertising, government projects, cultural tourism, sports events, image promotion, commercial real estate, etc.

Standard Size-DC-COB Series



✓ DC-COB-L series 320*160-Product features:

COB packaging technology, cable connection, magnetic suction technology;

Waterproof, shockproof, dustproof, stable and reliable, usually made of PC+fiber kit.

Product Specifications	Indoor full color -320*160	
	DC1.5	DC1.8
Pixel pitch	1.55	1.86
Refresh /Hz	3840	
Brightness / cd/m2	450-600	
Gray level /bit	12-16	
Module size/ mm	320*160	
Resolution/dot	208*104	174*86
Box size /mm	640*480	
Box composition	2*3	
Box material	Die-cast aluminum	
Maintenance method	Front maintenance	

Application scenarios: indoor studio center, security monitoring center, data command center, high-end conference room display scenes.

Standard Size-DP-D-Single



✓ DP-D-Single series-Product features:

Direct plug DIP , cable connection technology;

Single color plug-in module, using high protection lamp beads, spray glue on the front, and spray three-proof paint on the back, waterproof and moisture-proof, stable and reliable;

The module is lightweight, easy to install and disassemble, and can be maintained at a single point or single lamp at a low cost.

Product Specifications	DIP plug-in - outdoor full color				
	Single red DP10	Single green DP10	Single blue DP10	Single yellow DP10	White DP10
Pixel pitch	10				
Refresh /HZ	≥75Hz (full grayscale field)				
Resolution/dot	32*16				
Module size /mm	320*160				
Switching power supply load	5V/30A				
Protection level	IP65				
Glowing Point color	Single Red	Single Green	Single blue	Single yellow	White

Application scenarios: outdoor and sub-outdoor commercial fields, shopping mall advertisements, posters, and other promotional activities.

Standard Size-DP-S-Single



✓ DP-S-Single-Product features:

DP surface mount, cable connection process;


The single-color SMD module uses high-protection lamp beads, with glue sprayed on the front and three-proof paint sprayed on the back, which is waterproof and moisture-proof, stable and reliable;

The module is lightweight, easy to install and disassemble, and can be maintained at a single point or single lamp at a low cost.

Product Specifications	SMD Surface Mount - Outdoor Full Color				
	Single Red DP10	Single Green DP10	Single blue DP10	Single yellow DP10	White DP10
Pixel pitch	10				
Refresh/HZ	120				
Module size /mm	320*160				
Switching power supply load	5V/30A				
Resolution/dot	32*16				
Glowing Point color	Single Red	Single Green	Single blue	Single yellow	White

Application scenarios: outdoor and sub-outdoor commercial fields, shopping mall advertisements, posters, and other promotional activities.

Standard Size-DS Flexible Module-Indoor



✓ DS Flexible Module Indoor-product features:

SMD technology, high material flexibility combined with aesthetics, suitable for cylindrical screens, spiral screens, wave screens, ribbon screens and other artistic shapes;

The corner radius is large and the flatness is high, which can solve various installation problems of "roundabout corners";

High temperature and low temperature resistance, high protection and strong pressure resistance;

High scalability, supporting personalized display solutions.

Product Specifications	Indoor full color				
	DS1.25	DS1.53	DS1.86	DS2.0	DS2.5
Pixel pitch	1.25	1.53	1.86	2	2.5
Refresh /Hz	1920-3840				
Scanning	64	52	32	40	32
Brightness / cd/m2	450		400-450		450-500
Resolution/ dot	256×128	208*104	172*86	160*80	128*64
Pixel density	640000	422500	288906	250000	160000
Module size/mm	320×160	320*160	320*160	320*160	320*160

Application scenarios: indoor commercial media publicity, creative exhibition halls, brand image stores, live broadcast rooms, party and government exhibition halls, etc.

Standard size-DS Flexible Module-Outdoor



✓ DS Flexible Module Outdoor-product features:

SMD technology, supports front installation, front maintenance, and can be assembled;

The folding angle is large and the flatness is high, which can solve various installation problems of "cornering"; it can be installed in outdoor screen or sitting style;

High temperature and low temperature resistance, high protection IP65 , strong pressure resistance;

High scalability, supporting personalized display solutions.

India's leading professional LED display manufacturer with full industry supply chain

Product Specifications	Outdoor full color		
	DS2.5	DS3	DS4
Pixel pitch	2.5	3	4
Refresh /Hz	3840		
Scanning	16	13	10
Brightness / cd/m2	5000		
Resolution/dot	128*64	104*52	80*40
Pixel density	160000	105625	62500
Module size /mm	320*160		

Application scenarios: outdoor commercial media publicity, creative exhibition halls, brand image stores, live broadcast rooms, party and government exhibition halls, etc.

Lit4Ever, LED Technology that Lasts Forever.

Standard Size-DL Aluminum bottom shell



✓ DL Aluminum bottom shell-Product features:

Adopting SMD technology, new light steel bottom shell, strong anti-deformation ability;


Stronger heat dissipation performance, faster heat dissipation;

Strong impact resistance, moisture and heat resistance.

Product Specifications	Indoor full color			
	DL1.2	DL1.5	DL1.8	DL2.0
Pixel pitch	1.25	1.53	1.86	2.0
Refresh /HZ	3840			
Scanning	13	10	8	6
Brightness / cd/m2	350-400	450-500	400-450	
Resolution/dot	266*133	213*106	177*88	160*80
Gray level / bit	14-16	12-14		
Module size /mm	320*160			

Application scenarios: indoor studio center, security monitoring center, data command center, high-end conference room display scenes.

Standard Sizes-DPRO Series



✓ DPRO series-Product features:

SMD technology, high Brightness / cd/m2 and low gray, peak Brightness / cd/m2 800-900nit;

High contrast, high refresh rate 3840-7680 HZ ;

Thickened bottom case, thick copper PCB, copper bracket, high industry standard.

Product Specifications	Indoor full color				
	D1.2	D1.5	D1.8	D2.0	D2.5
Pixel pitch	1.25	1.53	1.86	2.0	2.5
Refresh /Hz	7680	3840	7680	7680	7680
Scanning	32	53	43	40	32
Brightness / cd/m2	≥ 800				
Resolution/dot	256*128	208*104	172*86	160*80	128*64
Gray level / bit	1 6 -1 7				
Module size /mm	320*160				

Application scenarios: indoor studio center, security monitoring center, data command center, high-end conference room display scenes.

Non-Standard Sizes-P Series-Indoor



✓ P Series Indoor-Product Features:

SMD technology, quick magnetic suction back cover, easy installation and maintenance;


Good flatness, reinforced bottom shell, not easy to deform;

2K/4K high-definition dynamic display, high grayscale, and ultra-wide bandwidth make the display effect clear and realistic.

Product Specifications	Indoor full color			
	P1.875	P3	P4	P4 (large board)
Pixel pitch	1.875	3	4	4
Refresh /HZ	1920-3840			
Scanning	32		16	32
Brightness / cd/m2	400-450	500-550	550-600	350-400
Resolution/dot	128*128	64*64	64*32	64*64
Gray level / bit	12-14			
Module size/mm	240*240	192*192	192*256	256*256

Application scenarios: indoor studio center, monitoring center, hotel banquet hall, amusement park, Display scenes in high-end conference rooms such as KTV .

Non-Standard Sizes-P Series-Outdoor



✓ P Series Outdoor-Product Features:

SMD technology, light weight, easy to install and disassemble, high portability;

High protection lamp beads, sprayed with three-proof paint, waterproof and moisture-proof, reliable and stable;

High-performance glue filling, fast heat dissipation, and anti-aging;

2K/4K high-definition dynamic display, clearer and smoother pictures with the best cost-effectiveness.

Product Specifications	Outdoor full color		
	P6	P8	P10
Pixel pitch	6	8	10
Refresh rate /HZ	1920-3840		
Scanning	8	4	
Brightness / cd/m2	4 00 0- 45 0 0		3500-4000
Resolution/dot	32*32	32*16	32*16
Gray level / bit	12-14		
Module size /mm	192*192	256*128	320*160

Application scenarios: conference center, broadcast center, medical center and other display scenarios.

Non-standard sizes-N-16:9 series



✓ N -16:9 Series -Product Features:

SMD , cable connection, magnetic attraction process;

Lightweight splicing and full screen integration;

The module area is large, the power consumption is low and the efficiency is higher;

Adapt to mainstream video playback needs.


India's leading professional LED display manufacturer with full industry supply chain

Product Specifications	Indoor full color				
	N1.25	N1.5	N1.8	N2.0	N2.5
Pixel pitch	1.25	1.53	1.86	2.0	2.5
Refresh /HZ	3840				
Scanning	48	58	48	45	36
Brightness / cd/m2	350-400		400-450		450-500
Resolution/dot	256*144	213*120	177*100	160*90	128*72
Gray level / bit	13-14		12-14		
Module size /mm	320*180				

Application scenarios: indoor commercial advertising, data / command centers, technology exhibition halls, public education audio-visual centers, etc.

LED Technology that Lasts Forever.

Non-standard size-DH front maintenance



Product Specifications	Outdoor - Front Maintenance			
	DH4	DH5	DH8	DH10
Pixel pitch	4	5	8	10
Refresh /Hz	1920-3840			
Scanning/S	10	8	5	2
Brightness / cd/m2	6000-10000			
Resolution/dot	80*80	64*64	40*40	32*32
Gray level /bit	14-16			
Module size /mm	320* 16 0			

✓ DH Front Maintenance -Product Features:

SMD technology, 2K/4K high refresh rate, good display effect,
High cost performance, can realize efficient dust prevention;

cable connection, front maintenance, butterfly lock technology, convenient installation and maintenance;
And it can be hot-swapped while powered.

Application scenarios: various outdoor exhibitions, large-scale concerts and other outdoor activities.



02 Compete Machine

Complete machine

Complete Machine-Product Matrix




AD advertising machine poster screen

Pixel pitch

Indoor 1.25/ 1.5/1.8/2.0
2.5/3.0/4.0

Outdoor 2.5/3.0
4.0/5.0



AD -2 Magnetic Flip Poster Screen

Pixel pitch

Indoor 1.25/ 1.5/1.8/2.0
2.5/3.0/4.0

Outdoor 2.5/3.0
4.0/5.0



AD-3 Mobile energy Storage LED poster

Pixel pitch

Indoor 1.25/ 1.5/1.8/2.0
2.5/3.0/4.0



AN All-in-one machine

G0B Pixel pitch

1.25/1.5625/1.875

C0B dot spacing:

1.25/1.5625/1.875



SR Rubik's cube Screen

Pixel pitch

2.5/3/4/3.91

Complete Machine-Product Matrix



SL
Indoor spherical screen
Pixel pitch
Diameter 1m - Diameter 12m
1.5/1.8/2/2.5/3/4/5



SF
3D Holographic display
Display size
42/50
60/65CM



SY
Delivery Box
Pixel pitch
Outdoor P3
Display size:
384*384
Full box size: 500*
500

Complete machine-AD advertising poster screen



✓ AD advertising poster screen Indoor - Product features:

SMD , cable connection, magnetic attraction process;

Wireless WIFI connection, remote control, portable;

Multiple screens can be seamlessly linked, poster screen portable solution,
Indoor and outdoor sheet metal poster screens can be customized in size;

Rear maintenance, ultra-thin design.

India's leading professional LED display manufacturer with full industry supply chain

Product Specifications	Indoor full color						
	P1.25	P 1.5	P 1.8	P 2.0	P 2.5	P 3.0	P 4.0
Pixel pitch	1.25	1.53	1.86	2.0	2.5	3.076	4.0
Refresh /Hz	1920-3840						
Brightness / cd/m2	500-800						
Resolution/dot	256*128	208*104	172*86	160*80	128*64	104*52	80*40
Grayscale	12-16						
Module size / mm	320*160						
Box size /mm	640*1920						
Box composition	2*12						
Box material	Sheet metal / die-cast aluminum						
Maintenance method	Front and rear maintenance						

Application scenarios: Indoor and outdoor commercial areas, shopping mall advertisements, posters, parties and other promotional activities.

LED Technology that Lasts Forever.

Complete machine-AD advertising poster screen



✓ AD advertising poster screen Outdoor -Product features:

SMD , cable connection, screw locking technology;

Wireless WIFI connection, remote control, portable;

Multiple screens can be seamlessly linked, poster screen portable solution,
Indoor and outdoor sheet metal poster screens can be customized in size;

Rear maintenance, ultra-thin design.

Product Specifications	Outdoor full color			
	AD2.5	AD3.0	AD4.0	AD5.0
Pixel pitch	2.5	3.076	4.0	5.0
Refresh/Hz	3840			
Brightness / cd/m2	4000-5000			
Resolution/dot	128*64	104*52	80*40	64*32
Grayscale	12-16			
Module size / mm	320*160			
Box size /mm	640*1920			
Box composition	2*12			
Box material	Sheet metal / die-cast aluminum			
Maintenance method	Post-maintenance			

Application scenarios: Indoor and outdoor commercial areas, shopping mall advertisements, posters, parties and other promotional activities.

Complete machine-AD-2 magnetic flip poster screen



✓ AD-2 Magnetic Flip Poster Screen-Product Features:

SMD , magnetic technology, front and back maintenance, frame flip cover design;

Wireless WIFI connection, remote control, portable;

Multiple screens can be seamlessly linked, poster screen portable solution,
Indoor and outdoor sheet metal poster screens can be customized in size and ultra-thin design.

Product Specifications	Indoor full color						
	AD1.25	AD1.5	AD1.8	AD2.0	AD2.5	AD3.0	AD4.0
Pixel pitch	1.25	1.53	1.86	2.0	2.5	3.076	4.0
Refresh /Hz	1920-3840						
Brightness / cd/m2	500-800						
Resolution/dot	256*128	208*104	172*86	160*80	128*64	104*52	80*40
Grayscale	12-16						
Module size / mm	320*160						
Box size /mm	640*1920						
Box composition	2*12						
Box material	Sheet metal / die-cast aluminum						
Maintenance method	Front maintenance						

Application scenarios: indoor commercial areas, shopping mall advertisements, posters, parties and other promotional activities.

Complete machine-AD-3 Mobile energy Storage LED poster



Product Specifications	Indoor full color				
	AD1.86	AD2.0	AD2.5	AD3.0	AD4.0
Pixel pitch	1.86	2.0	2.5	3.076	4.0
Refresh /Hz	1920-3840				
Brightness / cd/m2	450-500				
Resolution/dot	172*86	160*80	128*64	104*52	80*40
Grayscale	12-16				
Module size / mm	320*160				
Box size /mm	640*1920				
Box composition	2*12				
Box material	die-cast aluminum				
Installation	Bracket type				
Maintenance method	Front maintenance				

✓ AD-3 Mobile energy Storage LED poster - Product features:

Front maintenance, cable connection, magnetic attraction process;

Energy storage battery life up to 8-10H;

can be moved freely; Seamless splicing, Support mobile phone, computer and USB flash drive for information release

Application scenarios: Indoor and outdoor commercial areas, shopping mall advertisements, posters, parties and other promotional activities.

Complete machine-AN All-in-one machine-COB/GOB



✓ AN All-in-one machine-product features:

COB/GOB technology, integrated design, high functional integration;
Hard connection, magnetic suction technology, front maintenance, flexible installation and convenient maintenance;

Better size, better visual effect;

It has a 16:9 golden ratio, ultra-thin screen design, ultra-narrow bezel, and immersive vision.

Product Specifications / Display Size	Indoor full color -GOB			Indoor full color -COB		
	108"	135"	163"	108"	135"	163"
	AN1.25	AN1.5625	AN1.875	AN1.25	AN1.5625	AN1.875
Pixel pitch	1.25	1.5625	1.875	1.25	1.5625	1.875
Refresh /Hz	3840					
Brightness / cd/m2	400-600					
Resolution/dot	1920×1080			1920×1080		
Module size/mm	300*168.75					
Gray level /bit	12-14					
Installation	Wall mount / mobile bracket					
Maintenance method	Front maintenance					

Application scenarios: conference halls, corporate exhibition halls, TV programs, home theaters, multimedia classrooms and other scenarios.

Complete machine-SL Indoor Spherical screen



Product Specification s	Indoor full color						
	SL1.5	SL1.8	SL2	SL2.5	SL3	SL4	SL5
	Diameter 1 meter (1-12 meters can be customized)						
Pixel pitch	1.5	1.8	2	2.5	3	4	5
Module size /mm	custom made						
Resolution /dot	2093*1046	2093*1046	1884*942	1507*754	1256*628	942*471	754*377
Refresh /Hz	3840						
Protection level	IP43						
Brightness / cd/m2	600						
Grayscale	14-16						

✓ SL Indoor Spherical screen-Product features:

SMD technology, front and back maintenance, light weight and high strength, flexible and safe, seamless splicing and unique shape;

360 -degree display effect, all-round viewing experience;

It can be debugged remotely via the network, which is convenient and reliable.

Application scenarios: Mainly used in commercial spaces, advertising displays, airports and hotels, information release, commercial promotion, etc.

Complete machine-SF 3D holographic display



✓SF 3D holographic display-Product features:

SMD technology, patented design for quick installation of light panels without screws;

Support wireless splicing and synchronous screen connection, multi-angle adjustment , plug and play, energy-saving, convenient and fast;

Projection on mobile phones and computers, online display of large images , APP custom content design, multi-template design materials, 4-8G storage;

Supports offline timed switch, specified playback, and supports connecting to Bluetooth audio (Bluetooth 3-10 meters).

Product Specifications	Indoor full color					
	F42	F421 (Desktop)	F50	F65	E65	F60
	42	42	50	65	65	60
Display size	42	42	50	65	65	60
Number of lamp beads	224	224	276	768	1152	960
Number of blades	2 leaves			4 leaves		6 leaves
Resolution/dot	2000*224	2000*224	2000*276	2000*768	1152*1152	4000*960
Memory capacity	4G		8G			
Product Material	ABS resin+PCB			ABS resin + aluminum alloy		
support splicing	Cannot be spliced			A small amount of splicing	Support splicing	A small amount of splicing
CloudRemote	Not supported					support

Application scenarios: Mainly used in various scenarios, shopping malls, supermarkets, exhibition halls, restaurants, real estate, etc.

Complete machine-SR Rubik's cube Screen



✓ SR Rubik's cube Screen-Product Features:

SMD technology, integrated whole machine design, 360- degree viewing angle, all-round visual experience, seamless splicing, convenient and efficient installation and maintenance;

High efficiency and energy saving, plug and play, using high-quality lamp beads, can support long-term 24-hour work;

Supports one-click upload of pictures or videos via mobile phone WIFI , and remote switching of different contents, which is simple and convenient.

India's leading professional LED display manufacturer with full industry supply chain

Product Specifications	Indoor full color			Outdoor full color		
	P2.5	P 3	P 4	P 2.5	P 3	P 3.91
Pixel pitch	2.5	3	4	2.5	3	3.91
Refresh /Hz	1920-3840					
Brightness / cd/m2	500			4000		
Resolution/dot	51*51	64*64	32*32	51*51	64*64	32*32
Grayscale	12-16			12-16		
Module size / mm	128*128	192*192	128*128	128*128	192*192	128*128
Machine size	320*320	384*384	512*512	320*320	384*384	512*512
Installation	Five-sided hanging / four-sided side hanging					

Application scenarios: Mainly used in various scenarios, shopping malls, supermarkets, exhibition halls, restaurants, real estate, etc.

LED Technology that Lasts Forever.

Complete Machine-SY Delivery Box



✓ SY Delivery Box-Product features:

SMD technology, integrated machine design, light weight and high strength, safe, efficient and stable;

High efficiency and energy saving, can support long working hours;

Waterproof and moisture-proof, it can still work normally in harsh environment;

Application scenario: takeaway boxes, which can support customized advertisements.

Product Specifications	Outdoor full color
	SY3
Pixel pitch	3
Refresh/Hz	1920-3840
Waterproof level	IP65
Brightness / cd/m2	4000
Resolution/dot	128*128
Grayscale	12-16
Module size /mm	384*384
Machine size / mm	500*500

Application scenarios: Mainly used in vehicle takeaway delivery, advertising, smart logistics, brand promotion, etc.

03 Finished cabinet screen

Finished cabinet screen

Finished cabinet screen-Product Matrix



B Series

Pixel pitch

1.25/1.53/2.0
/2.5/4.0



Z Series

(Indoor/Outdoor)

Pixel pitch


2.604 / 2.97
/3.91 /4.81



D Series Outdoor

Pixel pitch


2.5/3/4/5/6/8/10



T Series

Pixel pitch

1.25/1.56/1.875



U Series Aluminum Profiles

Pixel pitch

6/8/10



COB-L series

600*337.5 -dot
spacing:

0.9/1.2/1.5/1.8

Finished cabinet screen-Product Matrix



TX
TAXI screen
Pixel pitch
2.5-5



TS
Indoor transparent screen
Pixel pitch
TS2.9-6.25
3.91-7.8/10.4-10.4

Outdoor transparent screen
Pixel pitch
TS3.9-7.8 / 10.4 -10.4
7.8-15.6



SH
Shelf screen
Pixel pitch
COB/GOB
0.9/1.25/1.875



FT
Floor Tile Screen
Pixel pitch
2.976/3.91/6.25

Finished cabinet screen-Product Matrix



A1-Outdoor-die-cast aluminum module

Pixel pitch

1.56/1.95/2.604/3.91/4.81



AS-Outdoor-Plastic Module

Pixel pitch


1.56/1.95/2.604/3.91



AH-Outdoor-common shade energy saving

Pixel pitch

Common anode 4/common cathode 5/common cathode 8/common cathode 10



A-Outdoor-court screen

Pixel pitch

Common anode 4/common cathode 5/common cathode 8/common cathode 10



AZ-Outdoor-Corner Screen

Pixel pitch

Common anode 4/common cathode 5/common cathode 8/common cathode 10



AK-Outdoor-Creative Flat Screen

Pixel pitch

Common anode 4/common cathode 5/common cathode 8/common cathode 10



Finished cabinet screen-B series



✓ B Series-Product Features:

SMD technology, its own weight is half of the conventional one, magnetic absorption technology, good flatness;

Quick installation, easy installation, installation time is 3 times faster, saving time and effort.

Product Specifications	Indoor full color					
	B1.25	B1.53	B1.86	B2.0	B2.5	B4.0
Pixel pitch	1.25	1.53	1.86	2.0	2.5	4.0
Refresh /Hz	3840					
Brightness / cd/m2	550					
Resolution / dot	256*384	208*313	172*258	160*240	128*192	80*120
Grayscale	12-16					
Module size / mm	320*480					
Box size /mm	320*480					
Box composition	1*1					
Box material	PC+ Fiber					
Maintenance method	Front maintenance					

Application scenarios: Indoor commercial areas, shopping mall advertisements, posters, and other promotional activities.

Finished cabinet screen-Rental Z Series(Indoor/Outdoor)



Rental ZK Series-Product Features:

SMD , hard connection, magnetic front maintenance process, light weight, fast arc splicing, creative splicing; easy to install and disassemble, clear and visible in any direction.

Rental Z-PLUS Outdoor Series-Product Features:

SMD , cable connection, maintenance process after locking the screws; not easy to deform, can meet the requirements of hoisting and stacking, can quickly splice arcs and creatively splice.

Rental Z-PLUS Indoor Series-Product Features:

SMD , cable connection, magnetic front maintenance process; not easy to deform, creative splicing; easy and quick to install and disassemble, simple and beautiful.

Rental ZH Outdoor Series-Product Features:

SMD , cable connection, maintenance process after locking screws; light weight, creative splicing, easy and quick installation and disassembly, simple and beautiful.

Rental ZH Indoor Series-Product Features:

SMD , cable connection, maintenance process after locking the screws; light in weight, can be quickly assembled; easy and quick to install and disassemble, can meet the requirements of hoisting and stacking.

Product Specifications	Indoor full color			Outdoor full color		
	Z 2.604	Z 2.97	Z 3.91	Z 2.97	Z 3.91	Z 4.81
Pixel pitch	2.604	2.97 6	3.91	2.97 6	3.91	4.807
Refresh /Hz	3840	1920-3840		3840		
Brightness / cd/m2	500-600			3500-4000		
Resolution/dot	96*96	84*84	64*64	84*84	64*64	52*52
Grayscale	12-14					
Module size / mm	250*250					
Box size /mm	500*500	500*500 / 500*1000				
Box composition	2*2	2*2/2*4				
Box material	Aluminum Profile					
Maintenance method	Front maintenance			Post-maintenance		

Application scenarios: various indoor / outdoor exhibitions, large-scale concerts and outdoor activities .

LED Technology that Lasts Forever.

Finished cabinet screen- Rental Curved Z Series-Indoor/Outdoor



✓ **Indoor rental arc Z series-product features:**
SMD , flexible arc-shaped box, magnetic front maintenance process, light weight, quick arc splicing, creative splicing; easy to install and disassemble, clearly visible in any direction.

✓ **Outdoor Rental Curved Z Series-Product Features:**
SMD , flexible arc-shaped box, cable connection, magnetic front maintenance process, light weight, fast arc splicing, creative splicing; easy to install and disassemble, clear and visible in any direction.

Product Specifications	Indoor full color		Outdoor full color
	Z 2.604	Z2.97	Z 3.91
Pixel pitch	2.604	2.976	3.91
Refresh /Hz	3840	1920	3840
Brightness / cd/m2	800		3800
Resolution /dot	96*96	84*84	64*64
Grayscale	12-14		
Module size / mm	250*250		
Box size /mm	500*500		
Box composition	2*2	2*2/2*4	
Box material	Aluminum alloy/magnesium alloy		
Maintenance method	Front maintenance	Post-maintenance	

Application scenarios: various indoor / outdoor exhibitions, large-scale concerts, and outdoor / indoor activities in the field of cultural media .

Finished cabinet screen-D Series-Outdoor



✓ D Series-Outdoor-Product Features:

SMD , cable connection, screw locking technology, can be shipped as a whole screen, easy to install, disassemble and maintain;

High refresh rate, high Brightness / cd/m2, still clearly visible under strong light;


High protection, waterproof, dustproof, moisture-proof and waterproof;

The 45° angled bottom shell allows for easy construction of a naked-eye 3D screen.

Product Specifications	Outdoor full color						
	D2.5	D3	D4	D5	D6	D8	D10
Pixel pitch	2.5	3.076	4.0	5.0	6.667	8.0	10.0
Refresh rate /Hz	1920-3840						
Brightness / cd/m2	4000-4500						
Resolution/ dot	128*64						
Grayscale /bit	13-14						
Module size / mm	320*160						
Box size /mm	960*960						
Box composition	3*4						
Box material	Die-cast aluminum/sheet metal						
Maintenance method	Post-maintenance						

Application scenarios: outdoor sports center events , education systems, commercial naked-eye 3D outdoor large screens,Outdoor advertising screens in transportation centers / train stations , etc.

Finished cabinet screen-T series -600*337.5



✓ T series 600*337.5-Product features:

SMD technology, hard link, front maintenance;

Ultra-thin design, 16:9 golden ratio, ultra-high-definition display;

Quick and easy installation, efficient maintenance.

Product Specifications	Indoor full color		
	T1.25	T1.56	T1.875
Pixel pitch	1.25	1.562	1.875
Refresh/Hz	3840		
Brightness / cd/m2	500	450	
Scanning	45	54	45
Resolution / dot	240*135	192*108	160*90
Grayscale	12-16		
Module size / mm	300x168.75		
Box size /mm	600*337.5		
Box composition	2*2		
Box material	Die-cast aluminum		
Maintenance method	Front maintenance		

Application scenarios: indoor dispatching / security monitoring command center, video conferencing center, demonstration room / smart classroom and other indoor scenarios.

Finished cabinet screen-COB-L series



✓ COB-L series 600*337.5-Product features:


COB packaging technology, hard link technology, waterproof and shockproof
Dustproof, stable and reliable, with a 16 : 9 golden ratio;

Easy to install, disassemble and clean up.

Product Specifications	Indoor full color - 600x337.5			
	L0.93	L1.2	L1.5	L1.8
Pixel pitch	0.9375	1.25	1.56	1.86
Refresh /Hz	3840			
Brightness / cd/m2	450-600			
Scanning	40	60	64	64
Resolution/dot	600-1000	600-800		
Grayscale	12-16			
Module size / mm	600x337.5			
Box size /mm	600*337.5			
Box composition	1*1			
Box material	Die-cast aluminum			
Maintenance method	Front maintenance			

Application scenarios: indoor studio center, security monitoring center, data command center, high-end conference room display scenes.

Finished cabinet screen-U series Aluminum Profile



✓ U series Aluminum Profile-Product Features:

SMD , hard connection technology, all-aluminum box, installation, disassembly and maintenance are time-saving and labor-saving, and the protection is stronger;

Clear picture, front and back maintenance, efficient heat dissipation;

Supports right-angle and arc splicing, high ductility, and can be installed at corners.

Product Specifications	Indoor full color		Outdoor full color
	U6.0	U 8.0	U 10.0
Pixel pitch	6.667	8.0	10.0
Refresh rate /Hz	3840		
Brightness / cd/m2	5000-10000 (customizable)		
Resolution/dot	48*72	40*60	32*48
Pixel density	22500	15625	10000
Grayscale /bit	14-16		
Module size / mm	320* 4 80		
Box size /mm	960*960		
Box composition	3*2		
Box material	Aluminum Profile		
Maintenance method	Front and rear maintenance		

Application scenarios: outdoor commercial media publicity, commercial media publicity, creative exhibition halls, brand image stores, live broadcast rooms, party and government exhibition halls and other scenarios.

Finished cabinet screen-TX TAXI screen



✓ TX TAXI screen-Product features:

SMD technology, appropriate Brightness / cd/m2 adjustment, the content can be displayed normally even when the vehicle is moving;

High stability and reliability, can support long life, waterproof, dustproof and anti-static;

Can support display storage information personalized diversification.

Product Specifications	Outdoor full color			
	TX2.5	TX3	TX4	TX5
Pixel pitch	2.5	3.076	4	5
Refresh rate /Hz	1920-3840			
Brightness / cd/m2	3000-4000			
Resolution / dot	153*51	124*41	96*32	76*25
Grayscale /bit	12-16			
Module size / mm	384*128			
Box size /mm	960*320			
Box material	Sheet metal / aluminum profile			

Application scenarios: Mainly used in vehicle display, external information display, vehicle advertising, etc.

Finished cabinet screen-SH shelf screen



✓ SH Shelf screen-product features:

SMD technology, industrial-grade panel design, seamless splicing, convenient and efficient installation and maintenance;

High efficiency and energy saving, plug and play, can support long-term working, strong anti-interference ability;

Waterproof and moisture-proof, COB/GOB materials can be customized, and can still work normally in harsh environments;


High-definition picture display, supports one-click upload of pictures or videos via mobile phone WIFI , and remote switching of different contents, which is simple and convenient.

India's leading professional LED display manufacturer with full industry supply chain

Product Specifications	Indoor full color					
	GOB			COB		
	P0.9	P 1.25	P 1.875	P0.9	P 1.25	P 1.875
Pixel pitch	0.9	1.25	1.875	0.9	1.25	1.875
Refresh/Hz	1920-3840					
Scanning	32			64		
Brightness / cd/m2	500-800					
Resolution/dot	266*66	192*48	12.8*32	164*92	118*66	78*44
Grayscale	12-16					
Module size /mm	240*60			148*83		
Machine size /mm	485*65	600*65	725*65	296*88	444*88	592*88

Application scenarios: Mainly used in various scenarios, shopping malls, supermarkets, waiting rooms, restaurants, real estate, cars, etc.

Finished cabinet screen-TS translucency screen



Product Specifications	Indoor full color			Outdoor full color		
	TS2.8-5.6	TS3.1-3.1	TS3.9-7.8	TS2.8-5.6	TS3.1-3.1	TS3.9-7.8
Pixel pitch	2.8-5.6	3.1-3.1	3.9-7.8	2.8-5.6	3.1-3.1	3.9-7.8
Refresh /Hz	1920-3840					
Brightness / cd/m2	500-1500-3000			3500-4000		
Resolution / dot	178*45	161*40	128*32	178*45	161*40	128*32
Grayscale /bit	12-16					
Module size / mm	500 * 125					
Box size /mm	1000*1000					
Box composition	2*8					
Box material	Aluminum Profile					

✓ TS translucency screen Outdoor -product features:

SMD technology, high efficiency and energy saving, can support long-term operation;

The integrated machine installation and maintenance is convenient and efficient;

IP65 waterproof and dustproof rating, it can still work normally in harsh environments.

✓ TS translucency screen Indoor-product features:

SMD technology, dustproof, stable and reliable to use;

Integrated machine, easy and efficient installation, disassembly and maintenance;

High efficiency and energy saving, good display effect and long service life.

India's leading professional LED display manufacturer with full industry supply chain

Application scenarios: can support multiple scenarios, wide range of use, commercial outdoor, Glass window display, stage design/indoor screen advertising, etc.

Finished cabinet screen-FT Floor tile screen-Indoor



✓ FT Floor tile screen-outdoor-product features:

SMD technology, high-strength mask, anti-slip and anti-collision, high permeability, IP65 waterproof, 2000 kg high load-bearing capacity;

The integrated machine contains high-quality aviation plug-in board wires, which makes installation, disassembly and maintenance convenient and efficient;

Built-in chip sensing technology, high sensitivity, good display effect, and intelligent interaction.

Product Specifications	Indoor full color			
	P 2.5	P 2.976	P 3.91	P 5.2
Pixel pitch	2.5	2.976	3.91	5.2
Refresh rate /Hz	1920-3840			
Brightness / cd/m2	1000-1200			
Resolution / dot	127*127	106*106	96*96	80*80
Grayscale /bit	12-16			
Module size / mm	500*500/500*1000			
Box size /mm	500*500			
Box composition	1*1/1*2			
Box material	Sheet metal / die-cast aluminum			
Interactive / non-interactive	Interactive Customization			

Application scenarios: Mainly used in commercial outdoor/indoor screens, squares, transportation, commerce, educational interaction, etc.

Finished cabinet screen-FT Floor tile screen-outdoor



✓ FT Floor tile screen-outdoor-product features:

SMD technology, high-strength mask, anti-slip and anti-collision, high permeability, IP65 waterproof, 2000 kg high load-bearing capacity;

The integrated machine contains high-quality aviation plug-in board wires, which makes installation, disassembly and maintenance convenient and efficient;

Built-in chip sensing technology, high sensitivity, good display effect, and intelligent interaction.

Product Specifications	Outdoor full color			
	P 3.91	P 4.68	P 5.2	P 6.25
Pixel pitch	3.91	4.68	5.2	6.25
Refresh rate /Hz	1920-3840			
Brightness / cd/m2	4000-4500			
Resolution / dot	127*127	106*106	96*96	80*80
Grayscale /bit	12-16			
Module size / mm	500*500			
Box size /mm	500*500			
Box composition	1*1			
Box material	Sheet metal / die-cast aluminum			
Interactive / non-interactive	Interactive Customization			

Application scenarios: Mainly used in commercial outdoor/indoor screens, squares, transportation, commerce, educational interaction, etc.

Finished cabinet screen -A1-Outdoor-die-cast aluminum module



Product Specifications	Outdoor full color					
	A1.56	A1.95	A2.604	A 2.97	A 3.91	A 4.81
Pixel pitch	1.56	1.95	2.604	2.97 6	3.91	4.807
Scan mode /S	1/40	1/32	1/24	1/21	1/8	1/7
Refresh/Hz	3840					
Brightness / cd/m2	4500	5000				
Resolution /dot	96*96	84*84	64*64	84*84	64*64	52*52
Gray level /bit	14		16			
Module size / mm	250*250					
Box size /mm	500*500 /500*750/ 500*1000					
Protection level	IP66					
Box composition	2*2/2*3/2*4					
Box material	Aluminum Profile					
Maintenance method	Front / rear maintenance					

✓ Outdoor A1- die-casting aluminum module series-product features:

SMD , hard connection, front and back maintenance process;

It is lightweight and supports splicing of different sizes. It can be placed on the ground, hoisted or mounted on the wall. It is flexible and convenient.

High flatness, high grayscale, 16-bit or above display images are real and clear;

IP66 protection level, no need to install air conditioner, stable and reliable.

Application scenarios: various outdoor exhibitions, large-scale concerts , sports events, and outdoor activities .

Finished cabinet screen-AS-Outdoor-Plastic module



Outdoor A S- Plastic Module Series-Product Features:

SMD , hard connection, front and back maintenance process;

It is lightweight and supports splicing of different sizes. It can be placed on the ground, hoisted or mounted on the wall. It is flexible and convenient.

High flatness, high grayscale, 16-bit or above display images are real and clear;

IP66 protection level, no need to install air conditioner, stable and reliable.


India's leading professional LED display manufacturer with full industry supply chain

Product Specifications	Outdoor full color				
	AS1.56	AS1.95	AS2.604	AS 2.97	AS 3.91
Pixel pitch	1.56	1.95	2.604	2.97 6	3.91
Scan mode /S	1/40	1/32	1/24	1/21	1/8
Refresh/Hz	3840				
Brightness / cd/m2	4500	5000			
Resolution/dot	96*96	84*84	64*64	84*84	64*64
Gray level /bit	14		16		
Module size / mm	250*250				
Box size /mm	500*500 /500*750/ 500*1000				
Protection level	IP66				
Box composition	2*2/2*3/2*4				
Box material	Aluminum Profile				
Maintenance method	Front / rear maintenance				

Application scenarios: various outdoor exhibitions, large-scale concerts , sports events, and outdoor activities .

LED Technology that Lasts Forever.

Finished cabinet screen-AH-Outdoor common cathode energy saving



Outdoor A H- Common Yin Energy Saving Series -Product Features:

SMD , hard connection, front and rear maintenance process, no cable design;

Support 90- degree seamless corner splicing to achieve naked-eye 3D display, floor-standing, ceiling-mounted or wall-mounted, flexible and convenient;

High flatness, high grayscale, 16-bit or above display images are real and clear;

IP66 protection level, no need to install air conditioner, stable and reliable.

India's leading professional LED display manufacturer with full industry supply chain

Product Specifications	Outdoor full color						
	AH2.97	AH3.91	AH4.81	AH5.95	AH6.25	AH7.81	AH10.42
Pixel pitch	2.97	3.91	4.81	5.95	6.25	7.81	10.42
Scan mode /S	1/14	1/8	1/7	1/7	1/5	1/4	1/3
Refresh rate /Hz	3840/7680						
Brightness / cd/m2	5000	5500					
Resolution / dot	84*168	64*128	52*104	42*84	40*80	32*64	24*48
Gray level /bit	14-16						
Module size / mm	250*250						
Box size /mm	10 00*1000						
Protection level	IP66						
Box material	Aluminum Profile						
Maintenance method	Front / rear maintenance						

Application scenarios: outdoor building exterior walls / airport stations / government culture, highway vertical advertising and other media fields .

LED Technology that Lasts Forever.

Finished cabinet screen-A-Outdoor-court screen



Outdoor A - court screen series -Product features:

SMD , hard connection, front and back maintenance process;

It is lightweight and supports splicing of different sizes, floor-standing, hoisting or wall-mounting, with a flexible and convenient structure;

High flatness, high grayscale, 16-bit or above display images are real and clear;

IP66 protection level, strong adaptability, stable and reliable.

Product Specifications	Outdoor full color
	A 3.91
Pixel pitch	3.91
Scanning	1/8
Refresh rate /Hz	3840
Brightness /cd/m2	5000
Resolution / dot	64*64
Gray level / bit	16
Module size / mm	250*250
Box size /mm	500*500 /500*750/ 500*1000
Protection level	IP66
Box composition	2*2/2*3/2*4
Box material	Aluminum Profile
Maintenance method	Front / rear maintenance

Application scenarios: outdoor media activities in various outdoor sports events .

Finished cabinet screen-AZ-Outdoor-Corner screen



Outdoor AZ- Corner Screen Series-Product Features:

SMD , hard connection, front and back maintenance process;

It is lightweight and supports splicing of different sizes. It can be placed on the ground, hoisted or mounted on the wall. It is flexible and convenient.

High flatness, high grayscale, 16-bit or above display images are real and clear;

IP66 protection level, no need to install air conditioner, stable and reliable.

Product Specifications	Outdoor full color
	A 3.91
Pixel pitch	3.91
Scan mode /S	1/8
Refresh rate /Hz	3840
Brightness / cd/m2	5500
Resolution / dot	10*128
Gray level /bit	16
Module size / mm	39.1*500
Box size /mm	321.5*500
Protection level	IP66
Box material	Sheet Metal
Maintenance method	Front / rear maintenance

Application scenarios: various outdoor exhibitions, large-scale concerts , sports events, and outdoor activities .

Finished cabinet screen- AK-Outdoor-creative flat screen



✓ Outdoor A K- Creative Flat Screen Series - Product Features:

SMD , hard connection, front maintenance process;

The material itself is light, supports splicing of different sizes, has good heat dissipation, and is not easy to deform;

High flatness, with automatic quick lock, easy to install;

High grayscale, 16-bit and above display images are real and clear.

Product Specifications	Outdoor full color				
	AK1.56	AK1.953	AK2.604	AK 2.97	AK 3.91
Pixel pitch	1.56	1.953	2.604	2.97 6	3.91
Scan mode /S	1/40	1/32	1/32	1/28	1/16
Refresh rate /Hz	3840				
Brightness / cd/m2	600				
Resolution /dot	160*160	128*128	96*96	84*84	64*64
Gray level / bit	14		16		
Module size / mm	250*250				
Box size /mm	1000*250/750*250/ 500* 250				
Protection level	IP20				
Box composition	4*1/3*1/2*1				
Box material	Aluminum Profile				
Maintenance method	Front maintenance				

Application scenarios: Mainly used in conference all-in-one machines, advertising machines, window screens, shopping malls, transportation hubs and other scenarios .



Supporting equipment

Supporting equipment


Supporting Equipment-Product matrix



Control system

Popular manufacturers:

NovaStar/Colorlight
Huidu/Kystar



Power source

Popular manufacturers:

Lit4Everg
/CHUANGLIAN POWRE
/MEGMEET/ MEAN WELL



Box

Main material:

Sheet metal (front and rear
maintenance)

Die cast
aluminum/magnesium alloy

Easy structure



Auxiliary material

Flat cable/Power cord

Magnetic column


/Plate suction device

Aviation plug wire

India's leading professional LED display manufacturer with full industry supply chain

LED Technology that Lasts Forever.

Supporting equipment-Control system



India's leading professional LED display manufacturer with full industry supply chain



LED Technology that Lasts Forever.

Supporting equipment-Power source



India's leading professional LED display manufacturer with full industry supply chain

LED Technology that Lasts Forever.

Supporting equipment-cabinet


✓  Simple cabinet:



✓  Waterproof sheet metal cabinet: 



✓  Die-cast aluminum cabinet:



✓  Easy structure:



India's leading professional LED display manufacturer with full industry supply chain

LED Technology that Lasts Forever.

Supporting equipment - auxiliary materials



India's leading professional LED display manufacturer with full industry supply chain

LED Technology that Lasts Forever.



LIT4EVER

Novice Marcom Pvt. Ltd.
Mangla Estate, Dhand Road, 4 KM Stone, Kaithal,
Hayana - 136027
Email : info@novicemarcom.com
Toll Free: 1800 202 8689